Coll.
228

Ravenel
Fungi Americani

~~QK603~~
~~R25~~ Coll. 228

Vanet

ACADEMY OF NATURAL SCIENCES OF PHILADELPHIA
OCT 7 1957

ACADEMY OF NATURAL SCIENCES
OCT. 7 1957
mss. 188
OF PHILADELPHIA

pt. 4

Fungi Exsiccata,
by Ravenel

et Fungi Americani
by Ravenel

A

1 A

3

Aecidium Chichoraceaum D.C.			× 1
" Compositarum, Mart			× 2
" Convolvulatum, Sz			× 3
" Orobi, D.C.			× 4
" Violae, Sz		in foliis Violae	× 38
" Amorphae, Cke		in foliis Amorphae	× 39
" Podophylli, Sz		in foliis Podophylli peltati	482
" Euphorbiae P.		in foliis Euphorbiae maculatae	484
" Plantaginis		in foliis Plantaginis virginicae	483
Aganicus Caespitosus, B+C.			×5 .101
" Spumosus. Fr			×6. 1
" pusiolus. Fr			×7
" Scyphoides. Fr			×8
" Algidus. Fr			×9
" Rancoria, pediades. Fr			2
" Mycena, Meligena. B+C/K		in Cortice Meliae	3
" Clitocybe, Sinopicus, Fr			4
" Rancoria, Subglobosus			102
" Inocybe, Maritimus, Fr			201
" Rancoria, pusiolus, Fr			202
" Clitocybe, laccatus, Fr			203
" Rancoria, Ceroides, Fr			204
" Amanita vaginatus, Fr			397
" Lepiota, floralis, B+Rav			401
" " Sulvaster, B+C			402

512
523
622
632
701
702
725
726
727
728
732
734
735
737
738

Agaricus, Lepiota, psilopus, Rav		403
" " " , Oligosarcus, Rav		404
" " " , Cepaestipes. Sr		405
" , Amanita, Caesareus. Scop		406
" , Armillaria, Mellens, Fl, Dan		407
" , Collybia, Radicatus, Bull		408
" , Pleurotus, Applicatus, Batsch		409
" " , putrigenus, B+C		410
" " , Cyphellaeformis, B,		411
" , Psathyrella, Disseminatus, P		412
" , Hypholoma, Fasciculare, Huds		413
Agyrium rufum, Fr	in ligno Juniperi	314
Arachnion album, Pz		15
Ascobolus Carneus, P.	Supra pannum lineum	176
" furfuraceus, P.		312
Ascomyces Quercus, Cke,	in foliis Quercus Cinereae	72
Ascophora Mucedo. Tode		x 10
Asterina epaspermus, B+C		x 11
" " Cornata B+Curt	in foliis Magnoliae grandiflorae	73
" " Orbicularis, B+Curt	in foliis Ilicis Opacae	74
" " pellicudosa, Berk	in foliis Pini Coniferae	75
" " Clavuligera	in foliis Vaccinii	76
" " Cuticulosa, Cke	in foliis Ilicis Opacae	328
Asteroma Rosae, DC,	in foliis Rosae	520
" Cerasi, Cke	in foliis Cerasi Caroliniana	521

Asteroma Liriodendri, B&K	in foliis Liriodendri tulipiferae	522
" tinctoria, B&K	in foliis Quercus tinctoriae	523
Asterophora mucum, Wallr.	Secus Potato	622
Ascobolus purpurascens, Pers	Cowdung	632
Agaricus dublaterilis, Fr	Oak Stumps	701
" brevipes, Fr	ground in Woods	702
Aecidium sambuciatum. Schw	Sambucus Canadensis	725
" pulcherrimum, Ras	Berchemia	726
" elegans, B&C	Trifolium	727
" Ari, Berk	Xanthosoma	728
" Convolvuli. Schw	Ipomea	792
Acrosperma foliicolum, Berk	Ulmus Americana	734
" Ravenelii, B&C	Fraxinus	735
Asteroma Oleina, B&K	Olea	737
" " Clavigulare, B&K	Andromeda	758

Boletus decipiens, Berk
" pachypus, Fr
" Ananas, Curtis
Botrytis Sphagnorum, Berk on living Sphagnum 572
" elegantula, Berk on rotting Pine leaves 573
Boviista nigrescens, Pers
Bazzoa Sphaeria acanthostroma, Mont. Myrica
" " " Juncus aquaticus 747

Calocera Cornea, Fr			
" albipes Mont		on Pinus wood	461
Camptotrichum Simplex Cke		on Pinus wood	462
Capnodium Applatum, Cke		in foliis Platani	307
" Quercinum B+Desm		in foliis Catalpae Cordifoliae	77
" pelliculosum, B+Rav		in foliis Quercus obtusilobae	78
" elongatum, B+Desm		in foliis Pruni Chicasae	79
" Citri, B+Desm		in foliis Nerii	80
Cantoglossum Transversarium, Fr		in foliis Citri	329
Cenangium Magnoliae			13 × 16
" Cerasi, Fr		in ramulis Persicae	70
Ceratium Hydnoides, A+S.			× 17
Cenangium Concinnum, B+C			× 18
Cercospora Polygonorum Cke		in Cortice Quercus	313
" Violae, Sacc		in foliis Polygoni	66
" Occidentalis Cke			572
" Sphaeriformis, Cke		in foliis Cassiae Occidentalis	65
" Calliearpae, Cke		in foliis Ignatis	59
" Lupini, Cke		in foliis Callicarpae	57
" Aeruginosa, Cke		in foliis Lupini Nipponici	58
" Rubella, Cke		in foliis Rhamni	60
" purpurea, Cke		in foliis Eriogoni tomentosi	289
" polytricha, Cke		in foliis Persicae	290
" Uvicola, Cke		in foliis Quercus dimentis	291
" Dioicae, Cke		in foliis Uvicolae	292
		in foliis Dioicae	293

Cercospora cossyphina, Ckl	in foliis Cossyphi	583
" phaseolorum, Ckl	in foliis Phaseoli	584
" Copolliana, Ckl	in foliis P. Copollinae	586
" Moricola, Ckl	in foliis Mori nigrae	587
" Diospyri, Ckl	in foliis Diospyri	588
" Citrullina, Ckl	in foliis Citrulli vulgaris	589
" Opuntiae, Ckl	in foliis Opuntiae latifoliae	590
" Chenopodii, Ckl	in foliis Chenopodii albi	591
" Violae, Sacc.	in foliis Violae	592
" Crotonifolia, Ckl.	in foliis Crotonis glandulosi	593
" Berkeleyi, Ckl	in foliis Heeriteschiae Tricanthi	594
Chaetophoma quercifolia, Ckl	in foliis Quercus nigrae	233
" Catesbeyi, Ckl	in foliis Quercus Catesbeyi	234
" Catalpae, Ckl	in foliis Catalpae Cordifoliae	235
" Ilicifolia, Ckl	in foliis Ilicis Opacae	236
Chaetophoma Myriospora, Ckl	in foliis Delphinii	537
Cheilaria Crataegi, Ckl	in foliis Crataegi	516
Coniothyrium fuliginea, Sacc	in foliis Euonymi	259
" Cookei, Thum	in foliis Hederae	526. 260
Cladosporium graminum, Ckl	in foliis Sambuci	170
" tenuissimum, Ckl	in vaginis Zeae	160
" subroseum, Ckl	in foliis Liriodendri	294
" Fumago, Pers	in foliis Salicis nigrae	295
" Atrellum, Ckl	in fructibus Pruni	296
" Heeriteschiae, Ckl	in legumenibus Heeriteschiae	297

Cladosporium lycoperdinum, Cke			375
" Spinyceo, Cke		Agaricus Melleus	118
" pericarpiicum Cke		Juglans nigra	137
" infuscans. Thum		Desmodii striati	589
" fulvum. Cke		Tomato	731
" Fuscum, Cke		Isolated	5[illegible]
" persicinatum, B+C			x 19
"			x 20
"			x 21
Clavaria botrytis. P			x 22
Coleosporium Asperginaceum, Cke		in foliis Amsonia ciliata	44
Coccularia graminis, Cke		Eulalia japonica	557
Comoltinium effusum, Cke		in foliis Quercus Catesbeiæ	244
" Callicarpæ, Cke		in foliis Callicarpa Americana	303
" lineare, Thum		Lyoneria Argentea	567
Coprinus Ephemerus. Fr			235
" plicatilis. Fr			431
Corticium Arachnoideum, B			x 23
" Auberianum, Mont			x 24
" gigantæum, Fr		ad Abies	452. x 25
" Lævе, Fr			x 26
" Sambuci, Pers			x 27
" Simulans. B & Rav		in Cortice Vaccinii	10. x 28
" Ochroleucum, Fr		in Cortice Carpini	135
" Tessellatum, Cke		in Cortice Pini	127

Corticium punctulatum, Bke		ad Asseres Pini		128
"	Calceum, Fr	in Cortice Myricae	x126	223
"	vagum, B+C	in Cortice Pini		132
"	incarnatum, Fr	in ramis Bacchardis		140
"	Berkeleyi, Bke	in Cortice Pini		225
"	flavidoalbum, Bke	in Cortice Myricae		226
"	Cervicolor, B+C	in Cortice Juniperi		228
"	Coeruleum, Fr	ad Alni decorticatas		451
"	Ceraceum, B+Rav			453
"	Ochraceum, Fr			454
"	Saccharinum, B+C	ad Pinus [illegible]		456
"	Vitellinum, P.	ad Populum [illegible]		457
Craterium vulgare, Fr				139
Crinula paradoxa, B+C		in foliis Quercus virentis		399
Cribraria dictydioides, Bke+Balf		ad Pinus [illegible]		475
Cucurbitaria radicalis, Bke		in radicis Quercus		344
Cryptica Hedwigii, Fr				x24
Craterellus Cornucopioides, Fr				x30
Cyphella Cupressi, Fr				x31
"	fulva, B+Rav	in ramis Alni decorticatae		129. x32
"	Ravenelii, B+C	in ramis Rosae		130
"	Capuliformis, B+R	in Cortice Juniperi		224
"	Capula, Fr	ad Soleniculas		458
"	Villosa, P	ad Culmos		459
Cyathus vernicosus, Fr				473

Cyathus Lesueurii, [illegible]	[illegible]	774
Cystopus portulacae, D By,	[illegible]	[illegible]
" Cubicus, Thum	[illegible]	[illegible]
Cladosporium graminum, Link	[illegible]	[illegible]
" fasciculatum, Berk & Curtis	[illegible]	[illegible]
" personatum, B & C	Arachis	771
Clasterosporium subulatum, Cke & P.K.	Liquidamber	512
Cenangium Seguoiae, Phil & Plow	Juniperus Virginiana	534
" ambiguissum, Cke	Ostrya Virginica	611
Ceratostoma hysterioides, Cke	Ficus	674
Cercospora pustula, Cke	Ampelopsis quinquefolia	779
" Xanthoxyli, Cke	Xanthoxylon Caroliniana	780
Cercurbitaria cupularis, Pers	Melia Azedarach	615
Chaetophoma cycadis, Cke	Cycas	697
Citispora leucophthalma, B & C	Cerasus	615
Corticium laeve, Fr	Alnus	720
" Sambuci, Fr	Maclura	722
" Peterii, B & C	Morus alba	723
[illegible]	[illegible]	[illegible]
" Musae Cke	[illegible]	[illegible]
Cere[illegible]	[illegible]	[illegible]

Dacrymyces Stillatus, Nees	In ligno Pini	135, x33
Daedalea Ravenelii, Berk	in ramis Quercus	113
Darluca filum, Cast	in foliis Potentillae, et in Cunei	23
Dematium gramineum, Pers		x34
Dacrymyces Chrysosperma, B+C		466
Diaporthe bicolor, Fckl	ad Quercus Roboris (cum)	
Dendrina Diospyri, B+C	in foliis Diospyri	314
Depazea Crumnea, B+C		x 35
" Vaccinii		x 36
" Amilacicola		x 37
Diatrype virescens, Pz		x38
" gastrina, Fr		x 39
" Asteristerna, B+C		x 40
" Contorta, Pz		x 41
" Subferruginea, B+Rav		x 42
" grandinia, B+Rav		x 43
" Auriacae, Rav. (an Sphaeria)		x 44
" Atropunctata, Pz	in ligno Ilicis	90
" Auriaci, Mont.	in ramulis Magnoliae grandiflorae	91
"		x 54
Diatrypella Opaca, B&Ke	in Cortice Ilicis Opacae	89
" Discoidea, B&Ke Var Alni	in ramis Alni incanae	188
Diatrype stumpens, B&Ke	in Cortice Fraxini	354
" Microplaca, B+C	in Cortice Perseae	355
" Hypophylae, B+Rav	in Cortice	356

Diatrype tenuissima, Ck.	in Cortice Persicae	357
" discostroma, Ck.	in Cortice Carpini	358
" stigma, Fr.	in Cortice Carpae et Quercus	359
" disciformis, Fr.	in Cortice Magnoliae	360
Dictydium umbilicatum, Fr.		476 x45
Dichaena fagínea, Fr.	in cortice Fagi	335
" quercina, Fr.	in ramulis Quercinis?	7.
Didymium Physarioides, Fen.		x46
Dimerosporium Bicriotatum, Ck.	in Culmis Maydis	144
Diplodia		x7.
" pyrenophora, Fr.		x48
" Ampelina, Ck.	in Sarmentis Vitis	149
" Ailanthi, Ck.	in ramis Ailanthi	150
" Virginiana, Ck.	in Cortice Juniperi	151
" Cupressina, Ck.	in foliis Juniperi	251
" fulvella, Ck.	in ramulis Platani	252
" Zeae. Sz.	in Culmis Zeae	393
" Vulgaris. Lev.	in ramulis Robiniae	394
" Rosae, Fr.	in ramulis Rosae	395
" Ravenelii, Ck.	in foliis Magnoliae grandiflorae	396
" Hederae, Desm.	in foliis Hederae	546
" Circinans, Ck.	in foliis Yuccae Aloifoliae	547
" Euonymi. Trest.	in foliis Euonymus	548
" Phoradendri, Ck.	in foliis Phoradendri flavescentis	549
" Rosaecarpae, Ck.	in fructibus Rosae	550

Diplodia glandicola, B+C		Carya	351
" herbarum, Lev	in	Sesami Indici	152
Discosia Artocreas, Fr	in foliis Crataegi.	255	1055
" rugulosa, B+Bunt,	in foliis Caryae		51
" Minima, B+Bunt,	in foliis Tiliae pubescentis		35
Discella leguminum, Cke,	in fructibus Prosopidis		152
" quercina, Cke.	Quercus aquaticae		1355
Dothidea			47
" flabella, B+C	in frondibus Pteridis	99	1155
" Acutulum, B+R			1351
" graminis, Fr. - Sw Sphaeri	in foliis Triantheae	388	11
" juncei, Fr - Sw Sphaeria			1355
" Solidaginis, Fr	in foliis Solidaginis		17
" perisporioides, B+Bunt	in foliis Rhynchosiae		46
" Atramentaria, B+Bunt	in foliis Taac		1355
" Acutula, B+C	in foliis Persicae	353	
" Magnoliae, Cke	in foliis Magnoliae grandiflorae		346
" Sphaeroidea, Cke	in foliis Juniperi		337
" graminis, P Bondiuow-	in foliis Arundinariae		354
" leptostromoidea, Cke	in frondibus Pteridis		190
" Moricola, Cke & Ellis	on Morus		311
" Jamaicis. Cke	" Jamaicis		51
" Baccharidis. Cke	" Baccharis		351
" geographica, Fr	" Cerasus		79

Distylium racemosum, Sieb	on Quercus alba	643
Diospyros Kaki, Thunb.	fallen branches	655
" " Var B	Magnolia glauca	656
" Discolor, Mart	Nyssa	657
" Subferruginea, B & Rav	Quercus nigra	658
" Azaderachta, Cke	Melia	744
Diplodia mutua, Cke & Ellis - Var	Apple	694
Discosia Atocrea d. Sm - Var Juniperi -	Juniperus Squamatus	695

643
655
656
657
658
744
694
695

Ectostroma Liriodendri, Sz	Liriodendron		534
Erineum bites			x54
Erysiphe			x56
" Linkii. Lev			
" penicellata			x57
Eustegia Magnoliae, Rav	in foliis. Magnolia glauca	320	x58
Eutypa limaeformis. Sz-	in ligno		92
" Microsperma. Cke	in ramis Quercus		187
Excipula laevegata, Sz			x59
Exidia Auricula Judae, Sz			463
" glandulosa. Sz			464
Epidochium nigricans, Sz	bark of Quercus alba		619
Epochinum quadratum, Cke	Fraxinus Americana		773
Excoccum maculatum, Cke	Cephalanthus occidentalis		774

Fusarium lateritium, Nees,	Buxus et Robinia	566	.60
" pyrinearum, Mont,			×61
" Tuberum, Ck.	Batatas		567
Fusisporium sesigoideum, B & C			×62
" leguminum, Ck.	in leguminibus Acaciae		298
" Azedarachtum	Melia		568

Geaster minimus. Fz.		472 ×64
" hygrometricus, Pr		47. .103
" radicans. B+Curt		×103
Geoglossum hirsutum, Pr		×63
Gleasporus Conchoides, Mont		8 .66
Glaeosporium Angelicae, Cke	in foliis Angelicae	265
" Aceris Cke	in foliis Aceris rubri	525
Glenospora graminum, B+Dem		×101
" Curtisii, B.	in Cortice ipsaeae Curtisii	333
Gnomonia petiolorum, Fz	in petiolis Liquidambaris	374
Grandinia tuberculata, B+C		440
" Crustosa, Pr		441
" Alutacea, B+Rav		442
" papillata, B+Cke	Juniperis	443
Gymnosporangium Clavipes C+Pk	in ramulis Juniperi	502 .272
Gymnosporium inquinans, B.	in culmis Arundinariae	268
Gibbera Moricarpa, Cke		343
G[illegible] stillatum. Mühl	rotten logs	639
" parvulum, Berk	Machaera Aurantiaca	765
" Ravenelii. Cke+Phil	Platanus	763
Gibbera morbosa, Schw	Prunus	675
Gymnosporangium Conicum	Juniperus Virginiana	791
Graphium Clavisporium, B+C	Vitis Labrusca	776

Haplaria fusca, Ck	in ramulis Quercus		164
Helminthosporium Ravenelii, Curt	in Spicis Sporoboli		165
" Arbuscula, B & Curt			× 69
"			× 71
"			× 72
" intersemínatum, B & Rav, B & C).	in Caulibus Nicotiana	172	× 73
" Macrocarpum, Ksew			× 74
" Melanosperma, B & C.			× 75
" Obtusissimum, B & C.			× 76
" Petersii, B & Curt	in foliis Smilacis glaucae	65.	× 77
" Velutinum, Pers			× 78
" Asterinum, Ck	in ramis Liquidambaris		163
" Sorghi, Ck	ad Culmos Sorghi		167
" Fragillissimum, B & C	in ramulis Smilacis		168
" Macrocarpum, Var Candatum, B & C -	in Ramulis Quercus obtusilobae		171
" Subcandatum, Ck			306
Helicomyces Aureus, Corda.			× 70
Heliconna Berkeleyi, Curt	in Caulinis et foliis Dracaenae		60
" Curtisii, Berk			305
Hendersonia fissurata, Ck	in ramulis Ficus		253
Hirneola Scutellaeformis, B & C	in ramis Liquidambaris		133
" Auricula judae, Fr			135
Hydnum Ochraceum, Pers			× 66
" Expansum, Fr			× 67
" Subcarnosum, Batsch			× 68

Hydnum Mucidum, Fr	in Cortice Perseae	114
" ferrugineum, Fr		433
" Membranaceum, Fr	Caryae	434
" Mucidum, Fr	Caryae	435
" "		436
" Alectaceum, Fr	Pini	437
" Ochraceum, Fr	Liquidambaris	455
Hyphoderma rubrocinctus, Ellis	in Cortice Magnoliae	11
" albo cinctus, Mont	in Cortice Magnoliae	12
Hypochnus Atramentaria, B+C		x81
" Ravenelii, Berk		x82
" Chlorina, Cke	in Cortice Caryae	342
Hypoderma Communne, Fr	in petiolis Cassiae	323
" Virgultorum, Fr, Var petiolare,	in petiolis Liriodendari	324
Hylostroma giganteum, Pers		x79
Hymenochaete Corrugata, Berk,	in ramis Alni serrulatae	124
" Corticolor, B+Rav-	in Cortice Magnoliae	121
" Rubiginosa, Lev-	in Cortice Myricae Ceriferae	122
" Crocata, Lev-	in ramis Corticatis	123
Hymenella Haematococcus, B+C		x80
Hyphoxylon Cohaerens, Pers		x83
" Marginatum, Sz	346.	x84
" punctatum, B+R		x85
" Rubiginosum		x86
" rubricosum, Fr		x87

Hysterographium Stigma			
"	Walteriannum, B+Bar		
"	fuscum, Fr	in ramis Quercus et Ulmi	
"	Malleolus, B+R	ad truncos	
"	Annulatum, L.	in ramis Quercus	
"	" Bar B	in ramis Magnoliae	
"	Sassafras. Sz	in Cortice	
"	Marginatum, Sz.	in Cortice Quercus	
"	"	in Cortice Myricae	
"	Confinens. Fr	in Cortice Quercus	
"	perforatum. Sz	in Cortice Quercus	
"	"	in Cortice Arundinariae	
"	Culmorum, Cke	in Culmis Arundinariae	
Hymenochaete umbrina. B+C		in Quercus	
Hysterium pinastri. Schrad		in foliis Pini	
"	pulicare, Pers		
"	lineare, Fr		
"	maculare, Fr	in foliis Quercus	
"	lineolatum, Cke	in ligno Persicae Carolinensis	
"	ovatum, Cke.	in ligno Quercus	
Helminthosporium parvulum, Cke.		Hysterium Argentinum	
"	lanceolatum, Cke	Berchemia volubilis	
"	persistens, Cke	Acer rubrum	
"	Petersii, B+C	Smilax glauca	
"	bistillare, Cke	Ostrya virginiana	

Hysterium vulvatum. Schw	Vitis vulpina	639
" pulicare, Fr	Betula	762
Hypomyces lactifluorum, Schw	Lactarius	643
Hypocrea citrina, Fr	Alnus serrulata	641
" Contorta. Schw	Cerasus	642
" tubiformis. B & Rav	Arundinaria	733
Hypomyces rinicola, Ke	Liquidamber	644
Hypolon stigmateum, Ke	fallen logs	649
" Inicculosum. Schw	Liquidamber	650
" Cohaerens, Fr	Nyssa	651
" punctatiatum, B & Rav	Quercus alba	652
" fusco-purpureum, Schw - Rav	Fraxinus	653
" rubiginosum, Fr	rotting logs	654
" "	Platanus	741
" Collicolosum. Schw	Fraxinus	742
" subiculosum, Schw	Persea	743
Hypocrea Scabriseta. Ke	Myrica cerifera	717
" Badio-ferruginea, Mont	" "	718
Hendersonia Musae, Ke	Musa	781
" Bistaniae, Ke	Bistania Sinensis	782

Irpex Fabacinus	in Cortice Quercus		218
" muscicola, Blanch			94
" fusco-violaceus, Fr	in ramis Corticatis	108	x 104
" Helvetis, Fr			139
" Coriaceus, Fr			415

Rmeiffia Letigera, Fr ad Magnol. et Persoon 115
" . ad Fr. fulvam proxima pallidior 116
" Candidissima, B. et Rav. in Regno Granatensi 131

Lactarius indigo. Sz			×96
Lentinus Lecomtei, Fr	ad truncos		207
" Sipariius, Berk	ad truncos		104
Leotia chlorocephala, Sz			×95
" viscosa, Fr			173
Lecythea tripustulata, Pk	Rubus bifloras		491
" populina. Lev, n	in foliis Populi angulatae		45
Lenzites striata, Fr	ad truncos		208
" betulina, Fr			415
" tricolor	ad ramis Liquidambaris		416
Leptostroma			×170
" Smilacis, Ck	in sarmentis Smilacis laurifoliae		20
" durissimum, Ck	in foliis Pini		229
" litigiosum, Sacc.	in stipitibus Osmundae	528	230
" micropuncta, Ck	Tabal		527
" vulgare, Fr	in Eupatorii purpurii		529
" confluens, Ck	in ramis Pini		530
Leptothyrium cinctum, Ck	in foliis		517
" rosarum, Ck	in foliis Rosa		518
Lophodermium pinastri, Sz			322
Lycogala terrestre, Fr			×98
" epidendrum, Fr			×99
Lycoperdon gemmatum, Fr			×97
" pusillum, Fr	ad terram	138	×105
" leprosum, B+R	ad truncos		17

Lycoperdon pyriforme. Schff.	On Old Stumps	469
Lachnostoma Arundinis, Fr.	Sea Hays	670
Eichenopsis Sphaeroboloides, Schw.	Hayes	761

Macrosporium Floridanum, Ellis	in leguminibus Lathyri	295
" leguminum, Ellis	in leguminibus Cassiae	300
" Sorii, Ellis	in foliis Sorii Oleandri	301
" abruptum, Ellis	in ramulis Hibisci	302
" Cheiranthi, Fr	in foliis Ficus	303
" Commune, Rob	in foliis Yuccae et Cycadis	304
Marasmius graminis, Berk		x106
" Hoedinus, B+C		x107
" Opacus, B+C		x108
" rotula, Fr		x109
" Spongiosus, B+C		x110
" Urticola, B+Curt		x111
" graminum, Lib	in culmis Secalis	105
" Semisquarrosus, B+Ellis	in foliis Ceratopis	106
" flammans, Ellis	ad ramos Pini	467
" Alliaceus, Fr	intra folia in Sylvis	468
Melampsora Salicina. Lev		x112
" populina, Lev	in foliis Populi angulatae	46
" Liquidambaris, Ellis	in foliis Liquidambaris	47
Meliola Amphitricha, Fr	ad Sabal folia	81
" "	ad Callicarpa folia	84
" "	ad folia Perseae	82
" "	ad folia Magnoliae grandiflorae	83
" Mitchellae Ellis	ad folia Mitchellae repentis	88
" fimbriata, Lev	ad folia Bignoniae	330

Meliola Tenuis, B+C	ad folia Arundinariae	331
Melanconium Babai, C.K.	in stipitibus Sabalis serrulatae	266
Melogramma Ambiguum, Fz	in ramis Rhoidis	185
" Meliae, Fz	in ramis Meliae	186
" gyrosum, Fuck	in Cortice Quercus	352
" Liriodendri, Fz	in Cortice Liriodendri	353
Meniospora Cylindrica, C.K.	in foliis Perseae	575
Merulius tremellosus, Schrad.		x113
" Confluens, Fr		x114
" Bartolen? Fuck		x115
" Lacrymans, Fr. Var tenuissimum	in ligno Pini	134
" Corium, Fr	in ramis Nyssae	136
" Ambiguus, B+C	in ramulis	217
" Bellus, B+C.		428
" pulverulentus, Fr		432
Microcera Coccophila, Desm.	in Cortice Mori	286
Microsera Dryinacearum, Lev	in ramulis Cerasi	246
Microsphaera Ravenelii, B+C	in foliis Kalmiae	87
Microthyrium Smilacis, Rab	in ramulis Smilacis	392
Mollisia Fimeneli, C.K.	Cenangii glandulosae	519
Mucor Clavata, Link		x116
Myrangium Curtisii, B.	in Cortice Nyssae	332
Myxosporium Asymmetricum, C.K.	Diospyri Virginicae	555
" acrosporium Tomato, C.K.	on fruit of Tomato	633
" bulbotrichum, C.K.	Cinna Arundinacea	604

Macrosporium crumpens, Cke	— [illegible]
" graminum, Cke	" [illegible]
" Candatum, Cke & E	" [illegible]
" leguminum, Cke	" Cassia occidentalis
" Carspetulum, Cke	" Asparagus
" Culmorum, Cke & Hark	" Sorghum
Mystrosporium polytrichum, Cke	[illegible]
" "	Hibiscus esculentis [illegible]
Meinmonium effusum, Corda	Oak limbs
Microsphaeria extensa, Cke & Pk	Quercus aquatica
" penicillata, Lev	" Obtusiloba
" abbreviata, Pk	" Catesbeyi
" diffusa Cke & Pk	Lespedeza
Melogramma obesa, B & Br	Quercus falcata
" Pistaciae, Thum	Pistacia lentiscus
" mutila, Fr - Nav	Persea
" Callicarpa, Cke	Callicarpa Americana
" Ficus, Cke	Ficus
Massaria atro-inquinans, B & Br	Platanus occidentalis
Merulius tremellosus, Fr	rotting logs
Marasmius calopus, Fr	Amygyet leaves

Nectria cinnabarina, Fr		11
" Cucurbitina		14
" Episphaeriicola, Fr		340
" Myceroerystis, B+C		131
" peziza, Tode?		12
" pezizoides, B+C	in fructibus [illegible]	33
" Cinnabarina, Fries	in Cortice [illegible]	33
" episphaeria, Tode,	in Dictyosporio [illegible]	340
" rubicarpa, Cke	in ramulis [illegible]	341
Nidularia Cucurbitum, Pers		113
Nectria rhizogena, Cke	On Roots of Ulmus	21
" Funeti, Cke	" Corylus	1
" peziza, Fr	" Rhynchosia monophylla	21
" Chlorinella, Cke	" Ulmus	220
" Coccinea, Fr	Melia	23
" ditissima, Tul	Acacia	22

Odontia fimbriata, Fr		
Oidium pulvinatum, Bt+Lamt		× 126
" leucoconium, Desm		114
" Monilioides, Lk		× 125
" erysiphoides, Fr	in foliis Rosae	30
Octaviana Stephensii, B, Ber Ravenelii, Bt+Ck	in foliis Lamii et Verbenae	369
Oidium punctigenum - Link		15
" pulvinatum, Cke	on Peaches	369
	Carya tomentosa	10

Panus Clorosalis, Bosc,	ad truncos in hortis	[illegible]
" Torulosus, Fr		[illegible]
Patellaria atrata, Pers		[illegible]
Paxillus Boletus, Rav		[illegible]
Periconia Subulata, Tees		[illegible]
Peronospora Viticola B+Cent	in foliis Vitis	61
Peridermium Corticolum, Lk	in cortice Pini	269
" Orientalis, Cke	in foliis Pini Austriaci	270
Penicillium Atrobrunneum, Cke,	in foliis Musae	59
" glaucum, Link	in ramis putridis	570
" roseum, Link,	in foliis Bupleuri	571
Pestalozzia bullata, B+Rav		[illegible]
" hysteriformis, B+C		[illegible]
" "	in foliis Quercus nigrae	53
" Concentrica, B+CRav		[illegible]
" "	in foliis Quercus virentis	36
" pezizoides, De Not	in ramulis Vitis	256
" Monochaeta, Desm	in foliis Quercus	34
" "	in foliis Quercus Albae	35
" Stellata, B+C-Var Oleandri Cke.	in foliis Nerii Oleandri	254
" Brevipes, Cke	in petiolis Aralicae	[illegible]
" Guepini, Desm	in foliis Decaspyris Virginicae	[illegible]
" Cryptomeriae, Cke.	in foliis Cryptomeriae Japonicae	534
Peziza Vinycetticola, B+Mont		[illegible]
" Rubella, Pers		133

Sphaeria arenaimosa, Sr		× 134
" brizaimea, Sr		× 183
"	on Holcus	× 184
" purpuracea, Sr		× 185
" scutellata, L		× 186
" stirata, P		× 187
" vinosa, A + S		× 188
" Carpinea, P		× 189
" Crocitincta, B + Ho		× 190
"	Graeillaria	× 191
" fusispora, Berk	on Lemon	174
" Xylostromatoidea, Berk	in ramis Pini	175
" albocincta, Ck	in foliis Vaccinii	309
" lustigiaeformis, B + Ho	in Culmis Arundinariae	310
" Melichroos, Ck	in Cortecibus	311
Phacidium quercinum, Fr.		× 135
" Tentatum, Sr	in foliis Quercus	318
Phillipsiella atra, Ck	in foliis Quercus	327
Phoma Avicola, B + Mont.	in fructibus Pisi	17
" Psoraleae, Ck	in foliis Psoraleae Melilotioidis	238
" Okra, Ck	in Hibisci esculenti	18
" punctulatum, Ck	in Caulibus Leguminosae	19
" Verbascicolum, Fr.	in Caulibus Verbasci	141
" glandulosum, Ck	in petiolis Ailanthi	142
" Minutissima, Ck	in foliis Liatris	237

Rhoma Circumspecta, Ck.	in foliis Rhamnidium	459
" longispora, Ck	in ramulis siti	547
" olandicola, Desm.	in praetibus decorum	511
" Buccae, Ck.	in foliis Buccae	544
" Concentricum, Mont.	in foliis Buccae	543
" Microsphora, B & C	in Asparagi officinalis	531
" phytolaccae B & C	in Phytolaccae decandrae	531
" Sassafras, Ck	Sassafratis Officinalis	
" ilicis, Desm.	Ilicis Aquifolii	
" atomaesporum, Ck	in Petiolis Magnoliae	541
Phlyctaena Arcuata, Berk	in Caulibus ramulis	545
Phyllactinia guttata, Lev	in foliis Catalpae Cordifoliae	1
" "	in foliis Ulmi alatae	1
Phyllosticta Myricae, Ck	in foliis Myricae Ceriferae	554
" Batatas, Ck	in foliis Convolvuli	554
" Hamamelidis, Ck	in foliis Hamamelidis Virginicae	511
" Myrorum, Ck		512
" Derotina, Ck		513
" Phytolaccae Ck	in foliis Phytolaccae decandrae	514
" Sassafras, Ck	Sassafratis officinalis	513
Physarum Schumacheri, Spr	ad folia et ramulos	477
" leucophaeum, Fr	ad folia	478
" Nucleosum, Ck & Bolt	ad corticem truncicolum	477
" Serysphoides, Ck & Bolt	ad plantas vivas	4
Pileolaria brevipes, B & Rav	ad folia Rhoidis Toxicodendri	48 & 136

Pistillaria vricans, Fr	Sesami Indici		460
Podosporium rigidum, Sz			× 137
Polystrincum trifolii, Pz			× 138
Polyporaccum Pinearium, Fr		470	× 146
Polyporus dealbatus, Btb			× 139
" abietinus, Fr		422	× 140
" Banchianus, Fr			× 141
" gravadens, Sz			× 142
" hirsutus, Fr		× 196	× 143
" Microsporus			× 144
" versicolor, Fr		211	× 145
" fibrus, Fr			420
" cinnabarinus, Fr			419
" sanguineus, Fr			418
" Lucidus, Fr			5
" Curtisii, Berk			417
" confluens, Fr			× 192
" Halesinus, Btb et Br			× 193
" Amorphus, Fr			× 194
" Conchatus, Fr			× 195
" adustus, Fr			421
" cupreiformis, Cke et Rav	in Cortice Quercus		210
" perganiens, Fr			422
" Floridanus, Berk			7
" Peckianus, Rav	in Truncis		6

Polyporus radula, Fr.		ad truncos Piceae	107
" mutabilis, Fr		ad truncos Piceae	108
" Habanae, B+Blk		ad ramos Myricae	110
" Oryzinus, B+Blk		ad truncos Quercus	111
" Arculanius, Fr		ad truncos	112
" barbatulus, Fr		ad Cortices Juniperi	219
" hoirpantinus, B+Blk		ad Cortices Myricae	213
" "		ad Cortices Quercus	214
" Callosus, Fr		ad Cortices Quercus	215
" obliquus, Fr			216
" Vaticola, Bair. Candida, Sz		ad ramulos Vitis	220
" Corticola, Fr Bair Bz		" Juglandis	183
" Molluscus, Fr			203
" Beaumontii, B+Blk			177
" Salviae, B+Blk			178
Pelopezia Minimularia, Berk.			191
Puccinia Helianthi, Sz.		in foliis Helianthi tuberosae	42
" Amorphia Blk		in petiolis Amorphae	43
" Smilacis, Chev			191
" Lespedeza Biolacea, Sz.			187
" Arundinariae, Sz			184
" Ornata, Blk			20
" Juncinae, Blk		in culmis Juncinae depressae	54
" graminis, Pers		in foliis Avenae sativae	199
" Canicina, Fr.		in foliis Carpini	278

Puccinia Amorphae, Cent. - Ellis -	in foliis Amorphae	279
" Asteris, Fz -	in foliis Asteris	280
" gonolobi, Rav	in foliis Gonolobi	282
" Longhi, Fz -	in foliis Longhi	497
" Staticola, Lk.	in Calycibus ovularis	498
" Prunorum, Lk	in foliis Prunii	499
" aculeata, Schw	Podophyllum peltatum	729
" Xanthii Schw	Xanthium strumarium	730
" Ipomeae, Lk	Ipomea	792
Pilacre Petersii, B & C	Hickory Stumps	621
Pilidium Ficus, Lk	Ficus	796
Phyllactinia guttata Lev	Quercus tinctoria	623
" "	Cornus florida & Alnus serrulata	624
Peziza pithya, Pers	Juniperus Aguamatus	629
" granulata, Bull.	Cow dung	630
" carolenca, B	Berchemia volubilis	631
" Corium, Weba	gramma	760
" Acetabula, L -	"	764
Pelosphaeria Milligrana. Schw	Platanus	672
Pleospora brunnea, Lk. Rav	Foeniculum	684
Pyrenophora Sarcocystis, B & C	Culms of Rye	685
Phoma vix-visible, Thum	Quercus alba	691
" Musarum, Lk	Musa	692
Protostegia Magnoliae - Rav	Magnolia grandiflora	696
Sclerotium Juncea, Desm	Thuja	700

Pleococcum pezizoideum, Cke	Lathyrus	610
Panus Stypticus, Fr	[illegible]	708
Polyporus conchifer. Schwz	Ulmus	154
" barbaeformis, B+C	Myrica	[illegible]
" Lindbladii, Berk	[illegible]	[illegible]
" crocatus, Lev	Myrica	[illegible]
" "	Persea	[illegible]
" Contiguus, Fr	Myrica	709
" tenerrimus, B+Rav	Ulmus	710
" vaporarius, Fr	Alnus [illegible]	711
" "	Hicksory	712
" Triphodes, B+Br	Myrica	713
" Chartaceus, B+C	fallen limbs	714
" stipticus, B	Stumps	715
Peniophora flavido-alba-Cke	Juniperus Virginiana	716
Phyllosticta Asyroae, Cke	Asyroa capitata	717
Phyllosticta [illegible]	Datura & Solanum	718
Phyllosticta glauca, Cke	Magnolia glauca	719

Radulum molare, Fr			×149
Raestelia Pyratum, Fz			×150
" Cylindrica, Dk			×151
" hyalina, Clk		in foliis Coratagi	37
" Americana, Pk.		in fructibus Coratagi	271
" lacerata, Jul		in foliis Pyri et Coratagi	481
Ramularia Desmodii, Clk		in foliis Desmodii ciliaris	582 - 62
" Cupta, Clk		in foliis Quercus falcati	581
Ravenelia glandulaeformis, B+C			×152
" Acaciae, Bark		in foliis Tephrosiae	55
Rhinotrichum corticioides, Clk		ad truncos Carpini Pini	575
" ramosissimum, B+C		ad truncos Quercus	576
Rhopalomyces cervinum, Clk		in fimo Vaccae	574
Rhytisma decolorans, Fz -		in foliis Andromedae	178 ×153
" Vaccinii, Fz -			×154
" tostum, B+C		in foliis Quercus	×177
" Vaccinii, B+R		in foliis Vitis Vinifera	317
Rhyzina undulata, Fr			×201
Rhytisma Vaccinii, Schw		Vaccinium Arboreum	759

Sacidium Viticola, B+C	in foliis vivis	221
" Symploci, C+E	in foliis Symploci tinctoriae	332
Saccardia quercina, C+E	in foliis viventibus	326
Sclerotinia Castaneae, Sr		161
" fulgens, Sr		162
Scorias Spongiosa, Sr	in ramulis vivis	334
Scirrhia rimosa Communis, Sr	in truncis	216
Septoria Ampelina, B+Cent.	in foliis Vitis Vinifera	32 155
" Rubi B+Cent	in foliis Rubi fruticosi	156
"	in foliis Rubi fruticosi	157
" Viticola, B+C	in foliis Vitis Vinifera	26 158
" Nitschkeana, B+C	in foliis Magnoliae grandiflorae	28
" Ampelina, B+C	in foliis Vitis vulpinae	29
" Baptisiae, C+E	in foliis Baptisiae perfoliatae	30
" Fraxini Lasch.	in foliis Fraxini	24
" Chionanthi, C+E	in foliis Chionanthi virginicae	25
" platanifolia, C+E	in foliis Platani	27
" Lonicerina, C+E	in foliis Lonicerae caprifolii	31
" glauca, C+E. In Phyllostacto	in foliis Magnoliae glaucae	93
" Magnoliae, C+E	in foliis Magnoliae	153
" Magnoliae, C+E	in foliis Magnoliae grandiflorae	261
" Specularisae, B+C	in foliis Specularisae	262
" Ludwigiae, C+E.	in foliis Ludwigiae	263
" phlyctaenoides B+C	in culmis Rhododendronis	505
" Mori, Lev	in foliis Mori rubrae	506

Septoria Rubi B+C	in foliis Rubi villosi	547
" Ravenelii, Thum	in foliis Cerasi serotinae	548
" grossypina, C&K	in foliis Gossypii	549
" albopunctata, C&K	in foliis Vaccinii Arborei	550
Septonema radicans, B+Rav		x151
Septostroma litigiosum, Desm		x152
Solenia anomala, P	in Cortice Quercus	223
Sphaeropsis Curvulispora, B+Cunn		x162
"	in Rhamni	x164
"	in Cortice Platani	x165
" denudata, B+Rav		x215
" quilae B+C	ad galas Quercus	145
" Gleditschiae, C&K	in fructibus Gleditschiae	145
" Maclurae, C&K	in Cortice Maclurae	146
" petiolata, C&K	in petiolis Platani	147
" Sabal, C&K	in petiolis Sabal Adansonii	249
" Gleditschiae, C&K	in Leguminibus Gleditschiae	250
" Viticolum, C&K	in foliis Vitis	542
" Ricinii, C&K	in Ricinii Communis	543
" Lanceolatum, C&K+Ellis	in Gladiolus	544
" filamentosum, C&K	in Yuccae filamentosae	545
Sphaerella glauca, C&K	in foliis Magnoliae glaucae	94
" Smilacicola, Sz	in foliis Smilacis	95
" Aryssaecola, C&K	in foliis Aryssae	96
" Smilacicola, Sz	in foliis Smilacis lanceolatae	105

Sphaerella Myricadea, D. C.	in foliis Quercus	[illegible]
" Bumeliae, Lk.	in foliis Bumeliae	375
" Baccinii, Lk.	in foliis Baccinii Arborei	376
" Atlanthi, Lk.	in foliis Atlanthi	[illegible]
" Annulata, Lk.	in foliis Magnoliae glaucae	378
" Crassina, Lk.	in foliis Crassi	380
" Tristaniae, Lk.	in foliis Tristaniae	379
" glaucescens, Lk.	in foliis Acer rubri	381
" pittosporii, Lk.	in foliis Pittosporii	[illegible]
" Catesbeyi, Lk.	in foliis Quercus Catesbeyi	383
" Kavenelii Lk.	in foliis Quercus	384
Sphaeria Quriaci, Mont. (Dothidea?)		[illegible]
" graminis, Fr. (")		52
" juncí, Fr (")		53
" Myricodea, D C.		[illegible]
" Magnoliae, Sz.		[illegible]
" Americana, B+C		[illegible]
" Occulta, (Ellis) (B+Rav)		219
" Cistocapsis, B+C		[illegible]
" Clemdens, Sz.		203
" Berisphenoides, B+C		204
" Conformis, Fr.		[illegible]
" Vermicularia, Fr.		208
" potentillae, Sz		[illegible]
" Graphidea, B+Rav		212

Sphaeria nidulans, Sz			×214
"	pezizula, B+C	in ramis Liquidambaris et Pinsapo	196
"	Buxi, Sz.	in foliis Buxi Balearicae	197
"	Argyrostoma, B+C	in pedunculis Buxi filamentosae	198
"	Ludwigiae, C&K	in caulibus Ludwigiae	199
"	Baptisiae, C&K	in ramis Baptisiae perfoliatae	200
"	Quercus, Fr	in ramis Quercus	365
"	Britannicum, Sz	in Seminis Amygdali	366
"	Sabalensis, C&K	in Stipitibus Sabal	367
"	×selenniata, C&K	in ramis Selenniae	368
"	palmetta, C&K	in Stipitibus Sabal	369
"	Bacchanidis, C&K	in ramulis Bacchanidis	370
"	pustulata, Sacc.	in ramis Serotinae	371
"	Anthelmintica, C&K	in Caulibus Chenopodii	372
"	Andromedae Sz.	in foliis Andromedae	373
Sphaeronema Microperae, C&K		in ramulis Amygdali	241
"	Abietina, Cast.	in ramulis Fraxini	248
Sphaerostilbe gracilipes, Tul.	Cupreida	in Caulibus Platani	285
Sphaerotheca pannosa, Lev		in Foliis Rosae	325
"	pannosa, B+P.		
Sporoderminm		Quercus	×216
"	Compositum, B+R.		×217
"	Spiraeacolum, C&K.	in foliis Spiraeae	157
"	irregulare, C&K	in Caulibus Eupatorii	158
"	punctiphyllum, C&K	in foliis Magnoliae	159

Sporodesmium spidaeiforme, Cke	in truncis	161
" Belatinum, Cke	in ligno putrido	162
" atro-purpureum, B & C	in truncis	163
" Stramineum, Sz	in ramis decorticatis	136
" Capsulatum, Thüm	in fructibus Castaneae	137
" Cancinnum, B.	in ramis putridis Liriodendri	160
" Cedrigenum, Cke.	in Cedris Sorghi	161
" Ellipticum, Cke	in ramis Magnoliae grandiflorae	164
" Hemago, Cke.	in Cedrico Helianthi et ramis Crataegi	211
" "	in foliis Euonymi [illegible]	140
Sporocybe persicae, Sz	in ramulis Persicae	213
Spermadia paspali, Sz	in fructibus Paspali	154
Stemonitis ferruginea, Sz.		201
" pulchella, Bob		1311
Stereum complicatum	in ramo Corticis Quercus	446. 117
" Acerinum, Pers		1191
" Corrugatum, Sz		1190
" Curtisii, Berk	in Corticibus	446. 223
" purpureum, Sz		2240
" albobadium, Sz	in Cortice Quercus	441. 121
" Acerinum, (var strivosum	in Cortice Juniperi	177
" Subpileatum, B & C.	in Cortice	211
" bicolor	in ligno	9
" Candidum. Sz	in Cortice [illegible]	120
" Versicolor	in truncis	250

Stereum quercinum, Sr	in Quercu	447
" Complicatum, Fr	in ramis fagi dambosis	448
" punctatum, B & C	in ligno Carpini	450
Stictis versicolor, Fr	in ramulis Quercus	315
" "	in Cortice Pini	316
Stigmatea Arundinariae, C & K	in foliis Arundinariae	391
Sistosporium praelongum, Sacc	Culms Zea Mays	617
Sporocybe byssoides, Fr	Chenopodium Anthelminticum	620
Stictis strobilina, C & K	Pinus Australis	630
Sphaeria ceratotheca, C & K	Zea Mays	677
" Vitis sarmenti, C & K	Culms Vitis vinifera	678
" Apiospora, Mont	Hysterium angustatum	679
" Baptisiaecola, C & K	Baptisia leucantha	680
" minimaepuncta, C & K	Gladiolus	681
" Kalmiaecola, Schw.	Kalmia latifolia	682
" hederaefolia, C & K	Hedera Helix	683
" Michotii, West	Carex	780
" Sarraceniae, Schw	Sarracenia variolaris	751
" Ulmea, Schw	Ulmus	752
Sphaerella Taxodii, C & K	Taxodium distichum	686
" leucothoes, C & K	Leucothoe	687
" Cornifolia Schw	Cornus Florida	688
" populifolia, C & K	Populus Angulata	689
" aquatica, C & K	Leersia aquatica	690
" Pinii, C & K	Pinus glabra	753

Sphaerella Oleina, Cke	[illegible]	794
" Conserpula, Schw	Carya	796
" platanifolia, Ck	Platanus occidentalis	798
" Sardeniae, Cke	Sarsaparilla	813
" lenticula, Cke	Cerasus Caroliniana	840
Sphaeropsis Sacchari,	Sugar Cane	683
Stereum fasciatum, Fr	[illegible]	121
" Ochraceo-flavum, Schw	Andromeda	771
Stachybotrys subsimplex, Cke	Musa	775
Septoria Aegopodii, Cke	Lycopus falcata	793
" Solidaginis, Cke	Solidago Odora	784
Stilbum flabellare, Fr	Stumps	105
Stromatia Ferruginea, Ell	Stumps	788

Thelephora pallida, Sz			×111
" aureo zonata, Cke			444
" intybacea, Pers		ad terram humidam	
Tomula herbarum, Lk		in fructibus, Caulibusque cucurbitae	164
" diversa, Cke		in foliis Agavis	283
" maculans		in foliis Yuccae	284
" tinalis, C. & Ellis		in putrido Liriodendro	1357
Torrubia capitata, Sul		in Sclerodermate vetusto	337
Trametes hydnoides, Fr			6
" Pini, Berk		in Cortice Quercus	116
" Pini, Fr		in Truncis Coniferis	112
Tremella moriformis, B		Liriodendri	463
" Mesenterica, Fr			220
Trichia Serpula, P			221
Trichobasis Helianthi, Sz		in foliis	41
" Polygonorum, Lev		in foliis Polygoni	274. 43
" Rubigo-vera, Lev.		in foliis Fagi	273
" Rubrum, Bon		in foliis Phaseoli	275
" Amsoniae, C. & E.		in foliis Amsoniae	489
" Labiatorum, Lev. Var Pycnanthemi		in foliis P. incanum	490
Trichothecium roseum, Lk			579
" griseum, C. & E.		Panici sanguinalis	580
Tubercularia nigricans, D. C.			×218
" Ailanthi C. & E.		in ramulis Ailanthi	288
" Mutabilis, Lk		in ramis Mori	400

Julasmodia fimbriata, J.		219
Julostoma Mammosum, J.	ad terram	137
Trichidium tufulosum, Ehr.	Berchemia [illegible]	137
Julostoma fimbriatum, J.	ad terram	724
Tripasporium Ravenelii, Farlow	Platanus	778

Uredo Andropogi. Sz			×172
" Cichoraceanum, DC			×173
" Hypericorum, DC			×174
" polygonorum. Nees			×175
" potentillarum. Link			×176
" Smilacis. Sz	in foliis Smilacis glaucae	487. 53	×177
" Topicodendron, B+Rav			×178
" Elephantopodis. Sz			×222
" Ipomoea. Lk		488	×223
" Prunastri, DC.			×224
" Spermacoces. Sz		50	×225
" Solidaginis. Sz			×226
" Synantherismae. Sz			×227
" luminatum. Sz	in foliis Rubi		276
" Ricini, Rav	in foliis Ricini		485
" Azaleae. Sz	in foliis Azaleae Medisforae		486
" Smilacis. Sz	in foliis Smilacis		487
" Ipomoeae Sz	in foliis Ipomoeae pandurnatae		488
Sclerotium Hypericii. Sz			×179
" Lespedeza Violaceae, L			×228
" Cassiae Ind	in Junci		51
" Desmodii, Cke	in foliis Desmodii canescentis	493.	49
" Spermacoces. Sz	in foliis Diodeae		50
" Tomentella, Cke	in foliis Ignotis		52
" Euphorbiae, C+P	in foliis Euphorbiae maculatae		492

Uromyces Desmodii, Lcke	in foliis Desmodii		493
" Lespedezae, Sz	in foliis Lespedezae		494
" phaseolorum, DeBary	in foliis Phaseoli		495
" pruniorum, Trtl	in foliis Prunii		496
Ustilago Maydis, Corda	in germinibus Zeae	281	x229
" Lycopersicae, Pz	in glumis Panici		56
Urnula Craterium, Fr	rotting wood		633
Uredo Andromedae, Lcke,	Andromeda Nitida		731
" Potentillarum, D.C.	Potentilla		732
Uromyces Pontederiae, Lcurond	Pontederia Cordata		793
" Hyperici, Schwz (Uredo)	Elodea Virginica		794
" "	"		795
Ustilago lineata, Lcke	Zizania		789
" destruens, Schl	Dactyloctenium Aegyptiacum		790

Valsa Cryptostoma, B+Rav			×230
" leucostoma, Fr		354	×231
" Ceratophora, Tul	in ramis Quercus		139
" Tetraploa, B+C	in ramis Hederae serrulatae		190
" Americana, B+C.	in ramis Maclurae Aurantiacae		191
" Lepheromioides, B+C	in ramis Quercus obtusilobae		192
" juniperina, C&K	in ramulis Juniperi		193
" Myrsinae, Tode	in ramis Myrsines		194
" Aculeans, Fr.	in ramis Rhoidis		195
" pezizula, B+C			196
" Stellulata, Fr	in ramis Liquidambaris	361.	362
" Vitis, Sz	in ramis Vitis Vulpinae		363
" leucostoma, Fr	in Cortice Amygdali et Cerasi		364
Vermicularia Culmigena, Desm		631	×232
" Dematium, Fr			×233
" Rectispora, C&K.	in petiolis Meliae		137
" Cucumbitae, C&K	in Fructibus Cucurbitae		143
" Culmigena C&K	in Tripsacum dactyloides		531
" polytrichaa, C&K	in Phaseoli lunati		532
Valsa Berchemia, C&K+Ellis	in Berchemia volubilis		657
" atomaspora, C&K	Cornus		658
" glandulosa, C&K	Ailanthus glandulosa		661
" Stellata, Fr	Ulmus serrulata		662
" tetraspola, B+C	Persea		663
" Vitis - Schw	Vitis vinifera		664

Salix [illegible] Linn	Myrica	745
" Carpinii, Th	Carpinus	746
" Tecta, Ehr	Myrica	747
" Myrsinina, Ehr	Betula u Frigra	748
" [illegible] Ehr & Ellis	Betulinus	768

Xerotus lateritius, Bth. 414

Xylaria hypoxylon, Fr on Logs 648

Xylosphaeria caminata, Cke Ligeuse amber 673

Zygodesmus pannosus, B & Cunt in Magnolia 97

" laevisporus, Cke in Cortic. Magnoliae. 50

" pannosus, B & Cunt, in Trunc. Pini 577